

hyper Sport Low Racer

frame kit		pesi (g)
telaio	hyper AL 7020 T6, made in Italy	2200
boom	AL 7020 T6, L 400 mm, made in Italy	400
carro posteriore	135 mm per ruote MTB 26" e freno a disco	
forcella	AL 20" rigida disco IS	650
sedile	Morpheus AL 7020 T6, completamente regolabile, made in Italy	920
reggisella	Y-post alluminio CNC, made in Italy	120
attacco manubrio	AL 7020 T6, telescopico, made in Italy	260
piega manubrio	alluminio L 450 mm	190
serie sterzo	integrata 1"1/8 45°	60
puleggia trazione	Diam. 68 mm	30
puleggia ritorno	Diam. 50 mm	50
serie viti	acciaio inox	180
colori	bianco, rosso, arancione, azzurro, nero, nero opaco	
peso tot		5060

geometria

diametro ruote	ant. 20" (406) post. 26" (559)
passo ruote	1230 mm
angolo sterzo	72°
angolo schienale	20° - 35°
altezza seduta	350 - 370 mm
altezza movimento	585 mm
taglia	X-seam 95 - 118 cm

hyper FORCE

hyper FORCE		pesi (g)
guarnitura	SRAM Force Carbon 53-39 / 50-34	791
movimento centrale	SRAM GXP passo inglese	
cassetta pignoni	SRAM PG 1070 10 velocità 11-28 / 11-32	210
cambio post.	SRAM Force WiFLi gabbia media Max 32T	190
deragliatore ant.	SRAM Force	88
comandi cambio	SRAM Double Tap	180
catena	SRAM PC 1071 10 velocità	660
freni	Avid BB7 Mountain (160 mm rotor)	658
leve freno	Tektro Speed Dial 7	175
coperture	Schwalbe Kojak 20x1.35 26x1.35	525
camere	Schwalbe SV6 SV12A	215
ruote	Malvestiti made in Italy	1820
peso tot		10572

hyper RIVAL

hyper RIVAL		pesi (g)
guarnitura	SRAM Rival 53-39 / 50-34	830
movimento centrale	SRAM GXP passo inglese	
cassetta pignoni	SRAM PG 1050 10 velocità 11-28 / 11-32	210
cambio post.	SRAM Rival gabbia media Max 32T	191
deragliatore ant.	SRAM Rival	88
comandi cambio	SRAM Double Tap	180
catena	SRAM PC 1051 10 velocità	660
freni	Avid BB7 Mountain (160 mm rotor)	658
leve freno	Tektro Speed Dial 7	175
coperture	Schwalbe Kojak 20x1.35 26x1.35	525
camere	Schwalbe SV6 SV12A	215
ruote	Malvestiti made in Italy	1820
peso tot		10612

hyper APEX		pesi (g)
guarnitura	SRAM Apex 53-39 / 50-34	890
movimento centrale	SRAM GXP passo inglese	
cassetta pignoni	SRAM PG 1050 10 velocità 11-28 / 11-32	299
cambio post.	SRAM Apex WiFLi gabbia media Max 32T	210
deragliatore ant.	SRAM Apex	89
comandi cambio	SRAM Double Tap	180
catena	SRAM PC 1031 10 velocità	693
freni	Avid BB5 Mountain (160 mm rotor)	670
leve freno	Avid FR-5	155
coperture	Schwalbe Kojak 20x1.35 26x1.35	525
camere	Schwalbe SV6 SV12A	215
ruote	Malvestiti made in Italy	1820
peso tot		10806

hyper X5		pesi (g)
guarnitura	FSA Vero Compact 50-34	688
movimento centrale	Shimano BBUN54/55	320
cassetta pignoni	SRAM PG 1050 10 velocità 11-28 / 11-32	299
cambio post.	SRAM X5 gabbia lunga	240
deragliatore ant.	Shimano Tiagra FD-4600	90
comandi cambio	SRAM X5 Trigger 10x2	280
catena	SRAM PC 1031 10 velocità	683
freni	Avid BB5 Mountain (160 mm rotor)	670
leve freno	Avid FR-5	155
coperture	Schwalbe Kojak 20x1.35 26x1.35	525
camere	Schwalbe SV6 SV12A	215
ruote	Malvestiti made in Italy	1820
peso tot		11045

accessori

Cuscino	VENTISIT Comfort 80 x 24 x 3 cm 380 g
Cuscino	VENTISIT Classic 80 x 24 x 2 cm 300 g
Poggiatesta	Slyway alluminio regolabile 120 g
Portaborraccia	ELITE Custom Race Diam. 74 mm
Borsa	RADICAL DESIGN Frame Pouch 27x11x8 cm
Borsa	RADICAL DESIGN Solo Racer 10 litri
Borsa	RADICAL DESIGN Side Panniers Racer 25 litri (non occorre portapacchi)
Borsa	RADICAL DESIGN Banana Racer 25 litri (non occorre portapacchi)
Specchietto retrovisore	Mirrycle Mountain Mirror
Ciclocomputer GPS	BRYTON Rider 20E
Ciclocomputer GPS	BRYTON Rider 20T con fascia cardio e sensore di cadenza
Coperture	Schwalbe Durano 20x1.10 RaceGuard Pieghevole 190 g
Coperture	Schwalbe Durano 26x1.10 RaceGuard Pieghevole 260 g
Coperture	Schwalbe Marathon Racer 20x1.50 SpeedGuard Pieghevole 300 g
Coperture	Schwalbe Marathon Racer 26x1.50 SpeedGuard Pieghevole 390 g
Camere d'aria	Schwalbe SV6 20x1.10 - 20x1.35 95 g
Camere d'aria	Schwalbe SV7 20x1.50 - 20x2.50 145 g
Camere d'aria	Schwalbe SV12A 26x1.0 - 26x1.35 120 g
Camere d'aria	Schwalbe SV13 26x1.50 - 26x2.50 190 g
Pedali	Shimano PD-M324 multipieghi 533 g/coppia
Pedali	TIME ICLIC2 libertà angolare +/- 5° laterale 2,5 mm 260 g/coppia

Viti attacco manubrio	Ti 6AL 4V Poggipolini made in Italy 2 x M6 x 25 mm TCE
Viti morsetto manubrio	Ti 6AL 4V Poggipolini made in Italy 2 x M6 x 15 mm TCE
Viti boom anteriore	Ti 6AL 4V Poggipolini made in Italy 2 x M6 x 35 mm TCE + dadi autobloccanti
Viti reggisella	Ti 6AL 4V Poggipolini made in Italy 4 x M6 x 20 mm TCE
Viti sedile	Ti 6AL 4V Poggipolini made in Italy 6 x M6 x 15 mm TCE + dadi autobloccanti
Vite sterzo	Ti 6AL 4V Poggipolini made in Italy M6 x 25 mm TCE
Vite puleggie	Ti 6AL 4V Poggipolini made in Italy 1 x M8 x 25 mm TBE 1 x M8 x 30 mm TBE
Guarnitura	Extralite QRC-2 SSP design CNC made in Italy BSA68 L 172.5 mm 480 g
Corone	Extralite OctaRamp CH2 53-39 made in Italy 105 g
Corone	Extralite OctaRamp RC2 50-34 made in Italy 94 g
Sganci rapidi	Extralite Streeters (solo per usa stradale) made in Italy 29 g/coppia
Pedali	TIME ICLIC2 Carbon libertà angolare +/- 5° laterale 2,5 mm 225 g/coppia
Pedali	TIME ICLIC2 Titan Carbon libertà angolare +/- 5° laterale 2,5 mm 175 g/coppia
Portaborraccia	ELITE Pase Custom Carbon Diam. 74 mm 25 g